

Employ  
The Best  
Guard  
Against

**FIRE** 

PVC INSULATED INDUSTRIAL CABLES  
FR-FIRE RETARDANT ( MULTI STRAND)



**FLAME RETARDANT (FR) Multi strand single core unsheathed flexible ( industrial cables ) in voltage grade upto and including 1100V**



Product Code	No./Dia of Wire in mm	Length in mtrs.	Nominal Area cond. Sq. mm	Std. Pkg. M Carton	MRP <input type="checkbox"/> Per Coil
KWR1001	24/0.2	(90 mtrs.)	0.75 sq. mm	24	765.00
KWR1002	14/0.3	(90 mtrs.)	1.00 sq. mm	20	999.00
KWR1003	22/0.3	(90 mtrs.)	1.50 sq. mm	16	1485.00
KWR1004	36/0.3	(90 mtrs.)	2.50 sq. mm	10	2403.00
KWR1005	56/0.3	(90 mtrs.)	4.00 sq. mm	8	3510.00
KWR1006	84/0.3	(90 mtrs.)	6.00 sq. mm	4	5211.00

Supplied in 90mtrs. Box packing

**PROJECT PACKAGING**



KWR2001	14/0.3	(180 mtrs.)	1.00 sq. mm	16	1998.00
KWR2002	22/0.3	(180 mtrs.)	1.50 sq. mm	14	2970.00
KWR2003	36/0.3	(180 mtrs.)	2.50 sq. mm	8	4806.00
KWR2004	56/0.3	(180 mtrs.)	4.00 sq. mm	5	7020.00
KWR2005	84/0.3	(180 mtrs.)	6.00 sq. mm	3	10422.00
KWR2006	140/0.3	(100 mtrs.)	10.00 sq. mm	1	10017.00

Supplied in 180mtrs. polythene pack.

**FLAME RETARDANT LOW SMOKE & HALOGEN (FR-LSH) multi strand single core unsheathed industrial Cables in voltage Grade upto & including 1100V**



Product Code	No./Dia of Wire in mm	Length in mtrs.	Nominal Area cond. Sq. mm	Std. Pkg. M Carton	MRP <input type="checkbox"/> Per Coil
KWR1011	14/0.3	(90 mtrs.)	1.00 sq. mm	20	1071.00
KWR1012	22/0.3	(90 mtrs.)	1.50 sq. mm	16	1575.00
KWR1013	36/0.3	(90 mtrs.)	2.50 sq. mm	10	2550.00
KWR1014	56/0.3	(90 mtrs.)	4.00 sq. mm	8	3780.00
KWR1015	84/0.3	(90 mtrs.)	6.00 sq. mm	4	5544.00

Supplied in 90mtrs. Box packing

**PROJECT PACKAGING**



KWR2011	14/0.3	(180 mtrs.)	1.00 sq. mm	16	2142.00
KWR2012	22/0.3	(180 mtrs.)	1.50 sq. mm	14	3150.00
KWR2013	36/0.3	(180 mtrs.)	2.50 sq. mm	8	5100.00
KWR2014	56/0.3	(180 mtrs.)	4.00 sq. mm	5	7560.00
KWR2015	84/0.3	(180 mtrs.)	6.00 sq. mm	3	11088.00

Supplied in 180mtrs. polythene pack.


**VIR (Copper) PVC insulated single core unsheathed solid/stranded copper wire (Industrial Cable) voltage grade 1100 Volts as per IS:694 twisted**

Product Code	No./Dia of Wire in inches	Length in mtrs.	Nominal Area cond. Sq. mm	Std. Pkg. M Carton	MRP □ Per Coil
KWR1021	1/.044	(90 mtrs.)	1.00 sq. mm		1170.00
KWR1022	7/.034	(90 mtrs.)	4.00 sq. mm(LIGHT)		4311.00
KWR1023	7/.034	(90 mtrs.)	4.00 sq. mm(HEAVY)		4500.00
KWR1024	7/.041	(90 mtrs.)	6.00 sq. mm		6201.00
KWR1025	19/.060	(90 mtrs.)	35.00 sq. mm		35001.00
Product Code	No./Dia of Wire in inches	Length in mtrs.	S.W.G	Std. Pkg. M Carton	MRP □ Per Coil
KWR1026	3/036	(90 mtrs.)	3/20 (LIGHT)		2205.00
KWR1027	3/036	(90 mtrs.)	3/20 (HEAVY)		2341.00
KWR1028	7/064	(90 mtrs.)	7/16		14931.00

Supplied in 90mtrs. Polythene,wooven bags & cloth packaging

**PROJECT PACKAGING**

KWR2021	7/.034	(450 mtrs.)	4.00 sq. mm(LIGHT)		21555.00
KWR2022	7/.034	(450 mtrs.)	4.00 sq. mm(HEAVY)		22500.00
KWR2023	3/.036	(450 mtrs.)	3/20 (LIGHT)		11025.00
KWR2024	3/.036	(450 mtrs.)	3/20 (HEAVY)		11705.00


Supplied in 450 mtrs.PP Real/Drum packaging .

**CTS (COPPER) PVC insulated single core sheathed stranded copper wire (Industrial Cable) voltage grade upto & including 1100 Volts**

Product Code	No./Dia of Wire in inches	Length in mtrs.	Nominal Area cond. Sq. mm	Std. Pkg. M Carton	MRP □ Per Coil
KWR1041 	7/.034	(90 mtrs.)	4.00 sq. mm (CTS)		4500.00
KWR1042	3/.036	(90 mtrs.)	3/20 (CTS)		2430.00

Supplied in 90mtrs. Polythene,wooven bags & cloth packaging

**PROJECT PACKAGING**

KWR2041 	7/.034	(450 mtrs.)	4.00 sq. mm(CTS)		22500.00
KWR2042	3/.036	(450 mtrs.)	3/20 (CTS)		12150.00

Supplied in 450 mtrs.PP Real/Drum packaging .



**MULTICORE ROUND FR PVC insulated copper conductor sheathed black cables in voltage grade upto and including 1100V with bright annealed bare copper based on IS 694. (100Mtrs.)**



Product Code	Size in sq. mm	Length in mtrs.	No. of strands/ Dia of strands	No. of Core	Std. Pkg. M Carton	MRP □ Per Coil
KWR1061	1.00 sq. mm	(100 mtrs.)	32/0.20	1 Core		936.00
KWR1062	1.00 sq. mm	(100 mtrs.)	32/0.20	2 Core		2808.00
KWR1063	1.00 sq. mm	(100 mtrs.)	32/0.20	3 Core		3960.00
KWR1064	1.00 sq. mm	(100 mtrs.)	32/0.20	4 Core		4842.00
KWR1065	1.00 sq. mm	(100 mtrs.)	32/0.20	5 Core		6165.00
KWR1075	1.50 sq. mm	(100 mtrs.)	22/0.30	1 Core		1485.00
KWR1076	1.50 sq. mm	(100 mtrs.)	22/0.30	2 Core		3555.00
KWR1077	1.50 sq. mm	(100 mtrs.)	22/0.30	3 Core		5085.00
KWR1078	1.50 sq. mm	(100 mtrs.)	22/0.30	4 Core		6453.00
KWR1079	1.50 sq. mm	(100 mtrs.)	22/0.30	5 Core		8551.00
KWR1090	2.50 sq. mm	(100 mtrs.)	36/0.30	1 Core		2385.00
KWR1091	2.50 sq. mm	(100 mtrs.)	36/0.30	2 Core		5580.00
KWR1092	2.50 sq. mm	(100 mtrs.)	36/0.30	3 Core		7587.00
KWR1093	2.50 sq. mm	(100 mtrs.)	36/0.30	4 Core		10044.00
KWR1094	2.50 sq. mm	(100 mtrs.)	36/0.30	5 Core		13050.00
KWR1105	4.00 sq. mm	(100 mtrs.)	22/0.30	1 Core		3672.00
KWR1106	4.00 sq. mm	(100 mtrs.)	22/0.30	2 Core		8451.00
KWR1107	4.00 sq. mm	(100 mtrs.)	22/0.30	3 Core		11871.00
KWR1108	4.00 sq. mm	(100 mtrs.)	22/0.30	4 Core		15930.00
KWR1109	4.00 sq. mm	(100 mtrs.)	22/0.30	5 Core		19620.00
KWR1120	6.00 sq. mm	(100 mtrs.)	36/0.30	1 Core		-
KWR1121	6.00 sq. mm	(100 mtrs.)	36/0.30	2 Core		12654.00
KWR1122	6.00 sq. mm	(100 mtrs.)	36/0.30	3 Core		17892.00
KWR1123	6.00 sq. mm	(100 mtrs.)	36/0.30	4 Core		22995.00
KWR1124	6.00 sq. mm	(100 mtrs.)	36/0.30	5 Core		30600.00

**TWIN FLAT/TWIN PARALLEL PVC insulated flexible copper wire**

Product Code	No./Dia of Wire in mm	Length in mtrs.		Std. Pkg. M Carton	MRP □ Per Coil
KWR1201	23/0060	(90 mtrs.)	Twin flat		909.00
KWR1202	23/0060	(90 mtrs.)	Twin parallel		855.00


**(CCTV) Close Circuit Television Round Tables**

Product Code	No./Dia of Wire in mm	Length in mtrs.	Std. Pkg. M Carton	MRP □ Per Coil
KWR1221	14/0052 (3+1)	(100 mtrs.)		2385.00
KWR1222	14/0052 (4+1)	(100 mtrs.)		2700.00
Supplied in 100 mtrs. Polythene packaging				

**COMPUTER and LAN networking unsheathed twisted pair (UTP) cables**

Product Code	Description	Length in mtrs.	Std. Pkg. M Carton	MRP □ Per Coil
KWR1231	CAT 6e UTP	(305 mtrs.)		7860.00

**Three Core Flat Cables with bare bunched copper conductor PVC insulated and sheathed industrial cables as per ISI 694 :2010 for Submersible pump motors with voltage grade upto 1100V**


Product Code	No./Dia of Wire in mm.	Length in mtrs.	Nominal Area cond. Sq. mm	No. of Core	Std. Pkg. M Carton	MRP □ Per Coil
KWR1251	22/0.3		1.50 sq. mm			59.40
KWR1252	36/0.3		2.50 sq. mm			91.80
KWR1253	56/0.3		4.00 sq. mm			1333.00
KWR1254	84/0.3		6.00 sq. mm			193.50

Supplied in polythene wrapping & also available in 500mtrs. Wooden drums

**Branch & Drop Jelly flooded CO-AXIAL cables (Copper & CCS)**

Product Code	Description	Length in mtrs.	Std. Pkg. M Carton	MRP □ Per Coil
KWR1241	RG-59F	(100 mtrs.)		
KWR1242	RG-06	(100 mtrs.)		

**PROJECT PACKAGING**

KWR2241	RG-59F	(300 mtrs.)		
KWR2242	RG-06	(300 mtrs.)		

Supplied in 305 mtrs. Wooden drum

